




SCO

Webtop

Transparency Masters

Course Release: 1.0

For Software: UnixWare® 7

© 1987–1999 The Santa Cruz Operation, Inc. All rights reserved.

This publication is protected under copyright laws and international treaties.

Information in this document is subject to change without notice and does not represent a commitment on the part of The Santa Cruz Operation, Inc.

SCO, The Santa Cruz Operation, the SCO logos, VP/ix, SCO OpenServer, UnixWare, dbXtra, Panner, SCO Global Access, SCO MPX, SCO Doctor, SCO Doctor for Networks, SCO Doctor Lite, SCO Premier Motif, SCO Visual Tcl, SCO VisionFS, SCO ToolWare, SCO TermLite, SCO Vision 97, SCO CIFS Bridge, SCO WebTop, The Internet Way of Computing, and IWoC are trademarks or registered trademarks of The Santa Cruz Operation, Inc. in the USA and other countries. IXI, X.desktop, Deskworks, Wintif, IXI Panorama, Deskterm, and IXI Desktop are trademarks or registered trademarks of IXI Limited, a subsidiary of The Santa Cruz Operation, Inc. Visionware, Devkit.Vision, Esprit, Kodon, Super.Vision, Visionware Super.Vision, Term.Vision, Visionware Direction, the Visionware logo, Visionware SQL-Retriever, and XVision are registered trademarks of Visionware Limited, a subsidiary of The Santa Cruz Operation, Inc. SuperVision, TermVision, X-Visionware, SQL-Retriever, and Vision Builder are trademarks of Visionware Limited. UNIX is a registered trademark of The Open Group in the United States and other countries. Cheyenne and ARCServe are registered trademarks of Cheyenne Software, Inc. Netscape, Netscape Navigator, Netscape Communications Server, Netscape Commerce Server, Netscape Proxy Server, Netscape FastTrack Server, Netscape Enterprise Server, Netscape SuiteSpot, Netscape Catalog Server, Netscape News Server, Netscape Mail Server, and Netscape Navigator Gold are trademarks of Netscape Communications Corporation. NFS was developed by Legent Corporation (formerly Lachman Associates, Inc.) based on LACHMAN SYSTEM V NFS. LACHMAN is a trademark of Legent Corporation. NFS is a trademark of Sun Microsystems, Inc. TCP/IP was developed by Legent Corporation (formerly Lachman Associates, Inc.) based on LACHMAN SYSTEM V STREAMS TCP, a joint development of Lachman Associates and Convergent Technologies. MPX was developed by Corollary, Inc. VP/ix is a product developed and licensed by Phoenix Technologies, Ltd/INTERACTIVE Systems Corporation. XRemote is a registered trademark of Network Computing Devices, Inc. Oracle is a registered trademark of Oracle Corporation, Redwood City, California. Java is a trademark of Sun Microsystems, Inc. All other brand and product names are or may be trademarks of, and are used to identify products or services of, their respective owners.

The SCO software that accompanies this publication is commercial computer software and, together with any related documentation, is subject to the restrictions on US Government use as set forth below. If this procurement is for a DOD agency, the following DFAR Restricted Rights Legend applies:

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the US Government is subject to restriction as set forth in subparagraph (c)(1)(ii) of Rights in Technical Data and Computer Software Clause at DFARS 252.227-7013. Contractor/Manufacturer is The Santa Cruz Operation, Inc., 400 Encinal Street, Santa Cruz, CA 95060.

If this procurement is for a civilian government agency, this FAR Restricted Rights Legend applies:

RESTRICTED RIGHTS LEGEND: This computer software is submitted with restricted rights under Government Contract No. _____ (and Subcontract No. _____, if appropriate). It may not be used, reproduced, or disclosed by the Government except as provided in paragraph (g)(3)(i) of FAR Clause 52.227-14 alt III or as otherwise expressly stated in the contract. Contractor/Manufacturer is The Santa Cruz Operation, Inc., 400 Encinal Street, Santa Cruz, CA 95060.

The copyrighted software that accompanies this publication is licensed to the End User only for use in strict accordance with the End User License Agreement, which should be read carefully before commencing use of the software.

Getting Started with the Webtop

- UnixWare 7 Webtop features and functions
- Webtop installation and configuration

The Webtop and Tarantella

Webtop

**Local
UnixWare 7
Server or network**

The UnixWare 7 Webtop
delivers UnixWare
applications in a
homogenous environment



Java-enabled client

Tarantella


Main-
frame

**Any brand
of UNIX
Server**

NT
Server


**Tarantella
Application
Broker**

Tarantella web-enables and
manages applications in
heterogeneous
environments.



Java-enabled client

Java Security Window



Tarantella Framework Installation Window



Using the the Webtop

- Login and use the Webtop to run applications
- Administering the UnixWare 7 system using the Webtop

The User Webtop

Display area

Logout
Help



Webtop menu

Status bar

Launch bar

Application button


Welcome
Message

Icon Showing that an Application is Running




Administrator Webtop


Logout
Help



System Troubleshooting



System Administration




Webtop System Administration

- Use the Webtop administration tools
- Configure the Webtop
- Customize the Webtop
- Troubleshoot Webtop problems

Webtop Concepts

- Datastore - information used by the various components of the Webtop
- Objects -organization and server objects are configurable datastore items
- Themes -set of HTML pages and graphics used for a basic or customized look
- Applets - java programs, a set of default applets are included with the Webtop

Administrator Webtop



Navigating the Control Center

Diagram illustrating the components of the UnixWare 7 Webtop Control Center interface:

- Hierarchy view list:** The left pane showing the organizational structure, including the "Organization" icon and a list of objects like "hazel", "Admin Doc", "Control Center Doc", "NetWare Setup", "root", "CDE", "Native Client Doc Viewer", "RNotes Doc", "Applications", "Click Me! Doc", "NetWare Settings", and "SCD Web Doc".
- Parent box:** The top section of the hierarchy view list, containing the "Organization" icon.
- Point help:** A yellow callout box stating: "Lets you keep this view in the list above so you can easily return to it later".
- Detail view list:** The right pane titled "Attributes for hazel", containing fields for Object Name, Label, Icon, Authenticate Using, Webtop Theme, Home Page, and Preferred Locale.
- Detail pane:** The area containing the attribute fields and the "Pin", "Apply", and "Reset" buttons.
- Status bar:** The bottom bar showing "Loading..." and a progress indicator.
- Children box:** The area below the "Organization" icon in the hierarchy view list, containing the list of objects.
- Point help button:** A question mark icon in the bottom right corner of the interface.
- Progress indicator:** A circular progress indicator in the bottom right corner of the interface.

Webtop Application Programming

- Define Webtop programming basics for:
 - Java
 - JavaScript
 - CGI
 - Perl
 - Tcl
- Compare and contrast Webtop programming tools